

Spray Program

Program	Category	Action Stage	Product	Active Ingredient	Dose per gallon	Dose per quart	Spray Interval	Re-entry Interval	Day to Harvest
Aphids	Insecticide	Aphids Emerge	Safer Soap	Soap	1 oz	2 teaspoons	7 - 10 days	4	0
Cabbage Worms	Insecticide	First sign of cabbage worm, then weekly	Dipel	Bt	2 teaspoons	1/4 teaspoon	7 - 10 days	4	0
Flea Beetles	Insecticide	Flea Beetles Emerge	Pyganic	Pyganic	1 oz	2 teaspoons	7 - 10 days	4	0
Tomatoes	Fungicide	First Flower	Complete Disease Control	Bacillus amyloliquefaciens strain D747	1 teaspoon	1/4 teaspoon	7 - 10 days	4	0
Tomatoes	Fungicide	First Flower	Arber® Bio Fungicide	Bacillus amyloliquefaciens strain F727	2 tablespoons	1 & 1/2 teaspoon	7 - 10 days	4	0
Tomatoes	Fungicide	First Flower	Serenade	Bacillus subtilis	1/4 cup	1 Tablespoon	7 - 10 days	4	0
Fall Brassicas	Fungicide	August 1st	Serenade	Bacillus subtilis	1/4 cup	1 Tablespoon	7 - 10 days	4	0
Fall Brassicas	Fungicide	August 1st	Arber® Bio Fungicide	Bacillus amyloliquefaciens strain F727	2 tablespoons	1 & 1/2 teaspoon	7 - 10 days	4	0
Fall Brassicas	Insecticide	First sign of cabbage worm, then weekly	Dipel	Bt	2 teaspoons	1/4 teaspoon	7 - 10 days	4	0
Fall Brassicas	Insecticide	First sign of harlequin bug, then weekly	Neem	Neem	4 tablespoons	3 teaspoons	7 - 10 days	4	0
Fall Brassicas	Insecticide	First sign of harlequin bug, then weekly	MONTEREY GARDEN INSECT SPRAY	Spinosad	1/4 cup	1 Tablespoon	7 - 10 days	4	0